



we are able to provide with you a wide range of nylon filter screening mesh from 10N/inch to 600N/inch.

TECHNICAL DATA:

	mesh count	mesh count	thread diameter	opening	rate of opening	thickness
NO	centimeter	inch	micron	micron	%	micron
JPP4	4	10	550	1950	61	950
JPP5	5	12	500	1500	56	850
JPP6	6	16	400	1267	58	780
JPP7	7	18	350	1079	57	675
JPP8	8	20	350	900	52	685
JPP9	9	24	250	860	60	455
JPP10	10	25	300	700	49	576
JPP12	12	30	250	583	49	470
	12	30	300	533	41	585
JPP14	14	35	300	414	34	595
JPP16	16	40	200	425	46	370
	16	40	250	375	36	485
JPP20	20	50	150	350	49	375
	20	50	200	300	36	385
JPP24	24	60	150	267	41	285
JPP28	28	70	120	237	44	215
JPP30	30	76	120	213	41	225
JPP32	32	80	100	213	46	165
JPP36	36	90	100	178	41	178
JPP40	40	100	100	150	36	190

JPP43	43	110	80	152	43	135
JPP48	48	120	80	130	38	145
JPP56	56	140	60	120	44	85
JPP59	59	150	60	110	42	98
JPP64	64	160	60	100	37	105
JPP72	72	180	50	90	41	82
JPP80	80	200	50	75	36	90
JPP100	100	250	40	60	36	65
JPP120	120	305	40	43	25	70
JPP130	130	330	40	37	23	75
JPP140	140	355	40	30	20	80
JPP157	157	400	35	28	20	70
JPP236	236	600	39	3	10%	60

nge

nch

weight of square meter
g/m²
262
271
208
186
212
145
195
162
234
273
139
217
98
173
117
87
94
69
78
87

60
62
44
46
50
39
43
35
42
45
48
40
35